


G-Tech

PIVOTING DOOR SYSTEM



GCC[®]

Top Pivot



PVT 20C **PVT 20F**


Bottom Pivot



PVT 10C **PVT 10F**

DT: Fits GTS-840 Floor Spring,
9115 Floor Pivot Bearing
or Germany Floor Spring.

MT: Fits Italy Floor Spring.




PVT 20

Fixed with
9124 pivot

PVT 20

Fixed with
9129 pivot




PVT 10

Fixed with
floor spring



PVT 10

Fixed with
9115 floor pivot



GTS 850

Concealed Overhead Door Closer

• For details please refer to **GCC**
GTS 850 Catalog.



Top Pivot



Prepare for
fix with **GCC**
GTS 850
Concealed
Overhead Door
Closer.

PVT 22C

PVT 22F

Bottom Pivot





DT

PVT 12C

PVT 12F

9115

SUS 304 Floor
Pivot Bearing




Fixed with "**GCC**" GTS-850
Concealed Overhead Door Closer
GTS 850



Fixed with
9115 floor pivot Bearing

- Connecting rod must be ordered separate.
- **CR**= Full height of glass door panel less 570mm (285+285mm)
- Glass hole notch same as PVT10, PVT20.

- Full height rod G-Tech pivot door



PVTS 50C Door Stopper

- For single action to make the door swing in or out.




PVTS 50F Door Stopper

- For single action to make the door swing in or out.



PVTS 50








Single point fixing
up,down,left or right
adjustable.



PVT 30C

Overpanel Pivot

PVT 30F







PVT 43C

PVT 43F

Adjustable Overpanel Pivot


- For holding overpanel to wall.
- Glass hole notch same as PVT30.





Adjustable corner transom connector

LEFT & RIGHT CHANGEABLE



TAIWAN,U.S.A. PATENTED



PVT 40F




PVT 40C




Adjustable corner transom connector

LEFT & RIGHT CHANGEABLE






TAIWAN, U.S.A. PATENTED




PVT 60C




PVT 60F



● All pivoting fittings are available for both countersunk and flat glass hole types, Please specify when ordering.




Countersunk hole type (C)



Flat hole type (F)

GL-34S Patch Lock




9125

GL-34R Patch Lock




9125ST



Customer length acceptable.

H 16 SIZE (mm)		H 20 SIZE (mm)		H 22 SIZE (mm)	
L (length)	L1 (C/C)	L (length)	L1 (C/C)	L (length)	L1 (C/C)
800	425	800	450	800	425
1000	600			1000	600
1200	800			1200	800
1500	1020			1500	1020
1900	1200			1900	800x800



- All handles are manufactured by using high grade SUS 304 stainless steel tube and polished meticulously.
- Available finishes: PSS: Polished stainless steel
SSS: Satin stainless steel



Wall profile system


- WP 10 For 10mm (3/8") Glass Thickness.
- WP 12 For 12mm (1/2") Glass Thickness.

- No messy sealant.
- No holes required.
- Easy and quick installation.
- 3000mm stock length.



Stainless steel in PSS, SSS

Available finishes for cover:
MS : Aluminium anodized-mat silver
PSS: Polished Stainless Steel.
SSS: Satin Stainless Steel.



GCC Door Controllers



For details please refer to GCC Concealed Overhead Door Closer or Floor Springs Catalogues.

In the field of architectural fittings for aluminum & tempered glass doors. both high quality and total design flexibility are essential criteria together with ease of installation, safety and function.

GCC full range of fittings are aesthetically designed and manufactured to provide practicality and security to tempered glass assemblies, such as Tempered Glass Door Fittings, PVC Seals W/Weather Strips, Glass Clamps, Shower Door Hinges, Handles & Knobs, PVC Seals & Wipes and Reinforcement Bars for Shower Screen. Door Rails, Pivoting Door systems, office partition systems, Lever Hinges & Locks, Heavy-Duty Sliding Wall systems, Heavy Duty Sliding & Folding Door System, Floor Spring, Concealed Overhead Door Closer, Glass Connectors....etc. For details welcome to visit our website at www.gccintw.com.tw

GCC will be happy to help your special requirements, for any doubts, please contact your nearest **GCC** distributors for any technical assistance on parts and services, or contact us directly.

If you are looking for high quality products, **GCC** is your best choice.



Agent/ Distributor



GOOD CREDIT CORPORATION

No.13, Longmen Rd., Situn Dist., Taichung 40757, Taiwan

E-mail: gcctw@ms7.hinet.net

TEL: 886-4-22583755(Hunting Line)

FAX: 886-4-22583753

<http://www.gccintw.com.tw>